



- NOTES:**
- LEVELS ARE IN TERMS OF THE MOTURIKI DATUM.
  - ORIGIN OF LEVELS TCC BENCHMARK BM 1069 RL 42.220m.
  - METHOD OF SURVEY: GPS
  - ALL WORKS WERE CARRIED OUT TO TCC IDC 2011 STANDARDS.
  - ALL WASTEWATER MAINS ARE 150mm uPVC PIPES UNLESS SHOWN OTHERWISE.
  - ALL WASTEWATER MAINS ARE SN16 UNLESS SHOWN OTHERWISE.
  - ALL STORMWATER AND WASTEWATER CONNECTIONS ARE 100mm NB uPVC, UNLESS UNDER CARRIAGEWAY WHERE 150mm NB uPVC ARE USED.
  - ALL MANHOLES ARE 1050mm DIA UNLESS OTHERWISE SHOWN.
  - ALL DEEP DRAINAGE CONNECTIONS ARE RAMPED UP TO WITHIN 1.5m OF SURFACE.
  - ALL BURIED AS BUILT INFORMATION SUPPLIED BY HIGGINS CONTRACTORS LTD.

- LEGEND:**
- AS BUILT MANHOLE
  - EXISTING MANHOLE
  - AS BUILT RODDING EYE
  - AS BUILT WASTEWATER
  - EXISTING WASTEWATER
  - AS BUILT WASTEWATER CONNECTION FLOW DIRECTION

LINES TO BE SHOWN IN FUTURE STAGE ASBUILTS

ORIGINATOR: RXD DATE: 28.04.16 DRAWN: HEH DATE: 28.04.16		PLOT BY: TRS PLOT DATE: 13.06.16		ASSOCIATION OF CONSULTING ENGINEERS NEW ZEALAND ISO 9001 QUALITY ASSURED		PROJECT: <b>Summit</b> THE LAKES (2012) LIMITED, TAURANGA		TITLE: STAGES 3CD WASTEWATER RETICULATION AS BUILT PLAN SHEET 2 TCC IP 101665		ISSUE STATUS: AS BUILT	
C MINOR AMENDMENTS GPR 13.06.16 B AS BUILT FINAL GPR 30.05.16 A AS BUILT DRAFT GPR 18.05.16		CHECKED: GPR DATE: 13.06.16 APPROVED: GPR DATE: 13.06.16		SURVEY BY: TRS SURVEY DATE: 13.06.16		THIS DRAWING AND DESIGN REMAINS THE PROPERTY OF, AND MAY NOT BE REPRODUCED OR ALTERED, WITHOUT THE WRITTEN PERMISSION OF HARRISON GRIERSON CONSULTANTS LIMITED. NO LIABILITY SHALL BE ACCEPTED FOR UNAUTHORISED USE OF THIS DRAWING.		PROJECT No: 1520-137966-01 DRAWING No: 137966-AB202		SCALES: 1:500 - A1 1:1000 - A3 REV C	